



## Black Great Wall Haval Raptor Plug In Extended Range Hybrid Off Road SUV

Our Product Introduction

for more products please visit us on [vehicle-automobile.com](http://vehicle-automobile.com)

### Basic Information

- Place of Origin: China
- Brand Name: Great
- Model Number: Great Wall Haval Raptor plug-in extended-range hybrid off-road vehicle SUV gasoline 5-seater dual-motor four-wheel drive 4x4
- Minimum Order Quantity: 1 vehicle
- Price: \$29,000-\$35,000Dollar
- Packaging Details: Complete vehicle
- Delivery Time: 5-8 work days
- Payment Terms: T/T
- Supply Ability: 1000 vehicle



### Product Specification

- Availability: In Stock
- Drive Type: Front-Wheel Drive
- Engine Type: Gasoline
- Exterior Features: Alloy Wheels, Fog Lights, Rear Spoiler
- Interior Features: Air Conditioning, Power Windows, Power Steering
- Safety Features: Airbags, Anti-lock Braking System, Traction Control
- Transmission Type: Automatic
- Vehicle Type: Minibus
- Highlight: Great Wall Haval Raptor SUV, Black Great Wall Haval Raptor



### More Images



### Product Description

Great Wall Haval Raptor plug-in extended-range hybrid off-road vehicle SUV gasoline 5-seater dual-motor four-wheel drive

1. An off-road vehicle is a vehicle specially designed for off-road use. Its main features are four-wheel drive, a higher chassis, tires with better grip, a higher exhaust pipe, larger horsepower and a thicker and stronger vehicle. The bumper can be driven on various road surfaces, giving people a rough and heroic feeling.
2. A car specially designed for rough terrain in the wild. Its main features are four-wheel drive, a taller chassis, tires with better grip, taller exhaust pipes, larger horsepower and Torque and thick and strong body and bumper. Usually this vehicle category is represented by Jeeps.
3. Non-load-bearing body, front and rear integral axles, four-wheel non-independent suspension, mechanical four-wheel drive (including low-speed four-wheel drive), mechanical differential lock (mechanical part-time four-wheel drive, no central differential lock is required. Hang up Four-wheel drive, the power is input to the front and rear drive axles at a fixed ratio of 50%:50%, which will never slip or overheat. The structure is the simplest, the most efficient, and the most reliable), with high ground clearance and close to The angle and departure angle are large, and most use large-displacement or diesel engines. The tires mostly use off-road tires or all-road tires with a relatively large aspect ratio. They have poor fuel consumption and comfort, and have strong escape capabilities. They are suitable for non-paved roads or extreme off-roading.
4. The classic hardcore off-road vehicle has a very clear usage positioning, and its advantages and disadvantages are equally obvious. High-speed controllability on the road is definitely not its strong point but its shortcoming. It emphasizes high reliability, durability, and the ability to eat "rough food". It emphasizes long-term failure-free performance in harsh environments. It emphasizes the excellent ability to climb and overcome obstacles, and it emphasizes the simple structure and easy maintenance.

Our Product Introduction

5. Off-road vehicles can be divided into military off-road vehicles and civilian off-road vehicles according to their uses; they can be divided into heavy off-road vehicles, medium off-road vehicles and light off-road vehicles according to their load capacity.

6. Characteristics of four-wheel drive The four-wheel drive system used on off-road SUVs is a combination of "traction" and "push". The dynamic stability of the body is the best among the three drive modes, because the engine torque is averaged through the four-wheel drive system. Distributed on the front and rear axles, the impact on acceleration, deceleration or load-bearing is minimal. When accelerating or climbing hills on bad road conditions, four-wheel drive vehicles also perform best.

#### Vehicle technical parameters

|    |   |   |
|----|---|---|
| 1  | Car body dimensions (length × width × height) mm: | 4800×1916×1822  |
| 2  | engine manufacturer                               | Great Wall Motors Co., Ltd.                           |
| 3  | Wheelbase mm:                                     | 2738  |
| 4  | Vehicle fully loaded total mass kg:               | 2560  |
| 5  | Vehicle curb weight kg:                           | 2135  |
| 6  | suspension system                                 | Front suspension MacPherson independent suspension,   |
| 7  | Approach / departure angle                        | Multi-link independent suspension                     |
| 8  | Front overhang/rear overhang mm                   | 24/30   |
| 9  | Axle load   | 980/1045 (mm)   |
| 10 | Number of axes                                    | 909/1051  |
| 11 | Fuel consumption                                  | 2   |
| 12 | Number of spring leaves                           | 7.68  |
| 13 | Number of tires                                   | ---   |
| 14 | Front wheelbase/rear wheelbase                    | 4   |
| 15 | NEDC pure electric cruising range                 | 1641/1640   |
| 16 | Minimum ground clearance mm:                      | 145km/102km   |
| 17 | Maximum wading depth:                             | 200   |
| 18 | Fuel type:  | 560mm   |
| 19 | Fuel tank volume (L):                             | gasoline  |
| 20 | engine model                                      | 55  |
| 21 | Way of working:                                   | 4B15E   |
| 22 | Exhaust volume ml:                                | L in-line, four-cylinder, direct injection, 16 valves |
| 23 | Rated power kw(hp)/rpm:                           | 1499  |
| 24 | Maximum torque Nm/rpm:                            | 123   |
| 25 | Emission Standards:                               | 243/3500-4500   |
| 26 | Drive mode  | National VI   |
| 26 | transmission:                                     | Front and rear four-wheel drive (dual motors)         |
| 28 | Top speed km/h:                                   | 2-speed DHT special gearbox automatic                 |
| 29 | Tire specifications and models                    | 190   |
| 30 | Braking System                                    | 245/60 R18  |
| 31 | Environmental protection standards                | front disk rear disk                                  |
| 32 | Rated passenger capacity (including driver)       | GB17691-2005 (National VI)                            |

#### Main vehicle configuration


|    |   |
|----|---|
| 33 | All-metal enclosed load-bearing body,   |
| 34 | ABS/EBD/EBC, EBA/EBS/BA, ASR/TCS/TRC, ESC/ESP/DSC   |
| 35 | Electric rearview mirror  |
| 36 | LED headlight   |
| 37 | Skylight  |
| 38 | automatic air conditioner   |
| 39 | central locking   |
| 40 | Cloth/imitation leather seats   |
| 41 | All-car aluminum alloy wheels, non-full-size spare tire                                     |
| 42 | Electric doors and windows  |
| 43 | Driver's seat (main and auxiliary) airbags, front side airbags, front and rear head airbags |
| 44 | remote key  |
| 45 | Heating and cooling system  |
| 46 | Tire pressure display   |
| 47 | Hill assist   |
| 48 | low speed warning   |
| 49 | Cab multifunctional storage box   |
| 50 | Full car seat belt  |
| 51 | 14.6-inch central touch LCD display   |
| 52 | 360 panoramic image   |
| 53 | cruise control  |
| 54 | 4/8 speaker speaker   |









 **Sichuan Fushunte Automobile Co., Ltd.**

 +8613568891631     609965408@qq.com     vehicle-automobile.com

No. 15, Wuxing 4th Road, Wuhou District, Chengdu City